



A JMMC Software Dedicated to the Preparation of VLTI Observations

G. Duchêne, J.-P. Berger, G. Duvert, G. Zins, G. Mella

Observatoire de Grenoble

Astronomical Telescopes and Instrumentation 2004, Glasgow

VLTI is now fully operational

VLT has now been feeding European astronomy for over 5 years.

MIDI has already produced many spectacular results.

AMBER has recently obtained its first light, including with 3 beams.







VLTI is now fully operational

VLT has now been feeding European astronomy for over 5 years.

MIDI has already produced many spectacular results.

AMBER has recently obtained its first light, including with 3 beams.



The European astronomical community has now access to high sensitivity optical interferometry.





The Jean-Marie Mariotti Center

A French network of optical interferometry experts.

- Created in 2000 by INSU/CNRS
- Principal nodes: Grenoble (LAOG) and Nice (OCA)





The Jean-Marie Mariotti Center

A French network of optical interferometry experts.

- Created in 2000 by INSU/CNRS
- Principal nodes: Grenoble (LAOG) and Nice (OCA)
- Main goals:
 - Optimize use by general astronomical community of optical interferometers, especially VLTI
 - Develop, distribute and maintain softwares to prepare and analyze interferometric datasets
 - Provide *support* and *formation* (les Houches schools) services





The ASPRO software

Astronomical Software to PrepaRe Observations

Simulate observations with a variety of already existing interferometers (VLTI, GI2T, IOTA, PTI, CHARA, COAST, PdB).





The ASPRO software

Astronomical Software to PrepaRe Observations

Simulate observations with a variety of already existing interferometers (VLTI, GI2T, IOTA, PTI, CHARA, COAST, PdB).

Web-based software with a java interface.



http://mariotti.ujf-grenoble.fr/~aspro

A transportable version, to be installed locally, also exists.





Users select a target and its model, the instrument and observing configuration (instrument and array).






Users select a target and its model, the instrument and observing configuration (instrument and array).

Then, ASPRO ...

- moves into the Fourier domain
- samples the (u,v) plane








Users select a target and its model, the instrument and observing configuration (instrument and array).

Then, ASPRO ...

- moves into the Fourier domain
- samples the (u,v) plane
- calculates visibilities
- estimates uncertainties








Users select a target and its model, the instrument and observing configuration (instrument and array).

Then, ASPRO ...

- moves into the Fourier domain
- samples the (u,v) plane
- calculates visibilities
- estimates uncertainties
- adjust models on the data
- provides visualizations







Search Calibrator

It is crucial to observe a calibration source that is extremely well known and, if at all possible, unresolved.

Search Calibrator is a software reachable through ASPRO.





Search Calibrator

It is crucial to observe a calibration source that is extremely well known and, if at all possible, unresolved.

Search Calibrator is a software reachable through ASPRO.

It browses several databases in search of stars that are similar to the target and close to it.

It provides a list of possible calibrators and an estimate of the error on their visibilities.

- SEA	ARCH CALIBRATORS
Java Applet Window	
Go - Close Help	
Science Object Name	TTau ▼
Observing wavelength (microns)	2.166
Science Object Magnitude in Search Ban	9.6
Search for band	v -
Magnitude range [-x,+x] to search	2
Search Range in R.A. (degrees)	15
Search Range in DEC. (degrees)	5
Object expected squared visibility (V2)	1
Requested absolute error (Delta V2)	0.025
info: min baseline used	62.481857299805
info: max baseline used	130.23042297363

Photometry (+ spectral type) ------ Apparent radius











- The best tool to prepare VLTI observing proposals for "normal" observations (ASPRO otherwise)
- Includes input from a panel of international ASPRO users





- The best tool to prepare VLTI observing proposals for "normal" observations (ASPRO otherwise)
- Includes input from a panel of international ASPRO users
- Only proposes ESO-supported options/configurations
- Realistic (on-sky) sensitivities and overheads
- Updates once per Period at least





- The best tool to prepare VLTI observing proposals for "normal" observations (ASPRO otherwise)
- Includes input from a panel of international ASPRO users
- Only proposes ESO-supported options/configurations
- Realistic (on-sky) sensitivities and overheads
- Updates once per Period at least
- Reachable through the JMMC web-page: http://mariotti.ujf-grenoble.fr/
- Planned release: September 2004







Help menus and user's manual





- Help menus and user's manual
- FAQs page available on the website
- Mailing list for general information regarding the JMMC software (e.g., new version)





- Help menus and user's manual
- FAQs page available on the website
- Mailing list for general information regarding the JMMC software (e.g., new version)
- Tutorial version to illustrate a routine run of the software and present the basics of interferometry





- Help menus and user's manual
- FAQs page available on the website
- Mailing list for general information regarding the JMMC software (e.g., new version)
- Tutorial version to illustrate a routine run of the software and present the basics of interferometry

Details available on the JMMC webpage as soon as ASPRO-VLTI is released to the public.





• Jean-Marie Mariotti Center develops and distribute softwares to prepare observations with optical interferometers that are now available.





- Jean-Marie Mariotti Center develops and distribute softwares to prepare observations with optical interferometers that are now available.
- In particular, ASPRO-VLTI is a simple and realistic tool to simulate MIDI and AMBER observations.





- Jean-Marie Mariotti Center develops and distribute softwares to prepare observations with optical interferometers that are now available.
- In particular, ASPRO-VLTI is a simple and realistic tool to simulate MIDI and AMBER observations.
- In addition to softwares, a variety of support services are offered by JMMC to the French and European astronomical communities, especially to non-experts.





- Jean-Marie Mariotti Center develops and distribute softwares to prepare observations with optical interferometers that are now available.
- In particular, ASPRO-VLTI is a simple and realistic tool to simulate MIDI and AMBER observations.
- In addition to softwares, a variety of support services are offered by JMMC to the French and European astronomical communities, especially to non-experts.

http://mariotti.ujf-grenoble.fr/



